ELSEVIER

International Journal of Mass Spectrometry 228 (2003) 1095–1097

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 228

Abbott, S.M., 655
Abdoul-Carime, H., 703
Antoniotti, P., 415
Apeloig, Y., 297
Armentrout, P.B., 221, 439
Arnold, F., 35
Arnold, S.T., 541
Arthur, T.B., 1017
Aschi, M., 613
Aubreton, J., 49

Beauchamp, J.L., 851
Becker, J.S., 127, 985
Becker, J.S., 985
Bekkerman, A., 1055
Ben Ari, J., 191, 297
Birkett, P.R., 979
Boesl, U., 1067
Boguslavskiy, A.E., 647
Bohme, D.K., 629
Bojesen, G., 1083
Boltalina, O.V., 807, 969, 979
Bouchoux, G., 1035
Boulyga, S.F., 985
Bourcier, S., 1035
Bowers, M.T., 865
Bowie, J.H., 467
Brand, W.A., 1
Bredenkötter, B., 321
Brönstrup, M., 743
Büchner, M., 167
Buisson, D.-A., 1035
Burgers, P.C., 759

Cacace, F., 717
Campbell, E.E.B., 913, 979
Cao, B., 181
Caraiman, D., 629
Castillo, F., 107
Castleman Jr., A.W., 677
Catalina, M.I., 879
Chamot-Rooke, J., 359
Chen, J., 81
Cipollini, R., 717
Clipston, N.L., 969
Cooks, R.G., 237
Cooper, H.J., 723
Czarnocki, Z., 209

da Rocha, L.L., 901
Damoc, E., 985
Daniel, C., 743
de Petris, G., 717
Debey, P., 999
Dekker, F.J., 879
Dermota, T.E., 677
Desmazières, B., 359
Dietze, H.-J., 127
Ding, H., 647
Diskin, A.M., 269
Drechsler, G., 1067
Drewello, T., 969, 979
Dua, S., 467
Dunbar, R.C., 825
Duncan, M.A., 285
Dutuit, O., 487, 507

Eapen, S., 955
Eberlin, M.N., 901
Eckart, K., 527
Eerdekens, G., 35
Elder, J.B., 655
Elrod, M.J., 91
Engeser, M., 743

Fabris, F., 841
Facchini, P., 415
Feketeova, L., 307
Filippi, A., 349
Fitzgerald, M., 467
Flammang, R., 151
Fournier, F., 999
Franceschi, P., 487, 507
Frański, R., 61
Futrell, J.H., 563

Gapeev, A., 825
Gerbaux, P., 151
Ghosh, P., 1
Giardini, A., 349
Gibson, J.K., 457
Gluch, K., 307
Gong, Q., 81
Goryunkov, A.A., 807
Grandinetti, F., 415
Gridelet, E., 389
Grieves, G.A., 285
Gromov, A., 913
Grotemeyer, J., 921
Grützmacher, H.-F., 167
Gunzer, F., 921

Haire, R.G., 457
Håkansson, K., 723
Haldys, V., 359
Hammerl, A., 341
Hargus, M.D., 541
Hartl, H., 743
Harvey, J.N., 517
Heck, A.J.R., 879
Herman, Z., 487, 497, 507
Heydorn, L.N., 759
Hirsch, A., 969
Hoernschemeyer, J., 373
Hopkinson, A.C., 629
Hoppilliard, Y., 779
Hrušák, J., 497
Hudgins, R.R., 723
Hudson, C.E., 955
Huels, M.A., 703
Hurley, S.M., 677
Hydutsky, D.P., 677

Illenberger, E., 703
Illies, A.J., 429
Ioffe, I.N., 807
Irikura, K.K., 667

Jaeger, J.B., 285
Jahn, O., 527
Jauberteau, I., 49
Jauberteau, J.L., 49
Jönsson, M., 913
Jordan, A., 69
Julian, R.R., 851

Kaczorowska, M., 517
Kaplan, A., 1055

doi:10.1016/S1387-3806(03)00322-1

Karni, M., 297
Kebarle, P., 1017
Kemper, P.R., 865
Kerr, D.M., 541
King, J.E., 429
Kiselyov, A.V., 61
Koizumi, H., 221
Kojima, A., 891
Kolodney, E., 1055
Korobov, M.V., 979
Korotkikh, N.I., 61
Kozik, T., 61
Kozin, S.A., 999
Kretzschmar, I., 439
Kuck, D., 321
Kuvychko, I.V., 979

Laganà, A., 349
Langley, C.C., 687
Largo, A., 613
Larson, M., 221
Lassesson, A., 913
Le, H.T., 151
Leal, J.P., 457
Leclerc, E., 359
Lenz, C., 969
Lesage, D., 999
Leyh, B., 389
Li, H., 237
Li, X., 81, 373
Lifshitz, C., 181
Lindinger, W., 69
Liskamp, R.M.J., 879
Lobach, A.S., 969
Locht, R., 389
Loos, J., 35
Lorquet, A.J., 389
Lorquet, J.C., 389
Louazel, G., 779
Luna, A., 359
Lyapchenko, N., 61

Ma, R., 81
Maier, C.S., 879
Maier, J.P., 647
Mair, C., 307
Manard, M.J., 865
Mandelbaum, A., 191, 297
Manor, Y., 1055
Marçalo, J., 457
Märk, T. D., 307
Markov, V.Yu., 807
Marotta, E., 841
Marshall, A.G., 723
Martínez, H., 107
Matthias, C., 321
Matt-Leubner, S., 307
Matuszewska, I., 209
May, J.A., 851
McAdoo, D.J., 955
McAnoy, A.M., 467
McLuckey, S.A., 577
McSweeney, S.A., 541
Miller, T.M., 541
Mó, O., 359
Morizur, J.-P., 359
Muntean, F., 221

Nakajima, S., 891
Nam, P.-C., 151
Nguyen, M.T., 151
Nibbering, N.M.M., 891

O'Hair, R.A.J., 599
Ohanessian, G., 779
Operti, L., 403

Paladini, A., 349
Peres, T., 181
Peschke, M., 1017
Pickhardt, C., 985
Pino, T., 647
Pires de Matos, A., 457
Plass, W.R., 237
Pliego Jr., J.R., 551
Polce, M.J., 933
Pollien, P., 69
Przybylski, M., 985

Rabezzana, R., 403
Rebuffat, S., 999
Ren, D., 933
Ren, H., 81
Reyes, P.G., 107
Riveros, J.M., 551
Rogalewicz, F., 779
Roithová, J., 487, 497, 507
Ruttink, P.J.A., 759

Sablier, M., 1035
Sanche, L., 703
Santibañez, F.G., 107
Santos, M., 457
Schalley, C.A., 373
Scheier, P., 307
Schlosser, G., 729
Schmidt, T.W., 647
Schröder, D., 35, 439, 743
Schroeder, G., 61
Schustereder, W., 307
Schwarz, H., 35, 439
Schwerdtfeger, P., 341
Scuderi, D., 349
Semialjac, M., 35
Seraglia, R., 841
Seymour, J.L., 687
Shinohara, H., 181, 913
Shoeib, T., 629
Shukla, A.K., 563
Shvaika, O.P., 61
Sidorov, L.N., 807
Silva, G., 373
Siu, K.W.M., 629
Smith, D., 117, 269, 655
Soldi-Lose, H., 35
Spandl, J., 743
Španěl, P., 117, 269, 655
Sparrapan, R., 901
Speranza, M., 349
Spiess, J., 527
Stamatovic, A., 307
Stoltz, B.M., 851
Streletskiy, A.V., 979
Sugimura, T., 891
Syrstad, E.A., 687

Tabet, J.-C., 999
Tajima, S., 891
Takahashi, Y., 891
Takáts, Z., 729
Tamiri, T., 191
Taninaka, A., 913
Tepnual, T., 307
Terlouw, J.K., 759
Tezval, H., 527
Thissen, R., 487, 507
Tortajada, J., 359
Traldi, P., 209, 841
Troiani, A., 717
Tsipinyuk, B., 1055
Tubaro, M., 209
Tureček, F., 687

Uggerud, E., 1083

Vaglio, G.A., 403
Van Doren, J.M., 541
Vasil'ev, Y.V., 969, 979
Vékey, K., 729
Versluis, C., 879
Viggiano, A.A., 541

Walker, N.R., 285
Wallis, D., 969
Walters, R.S., 285
Wang, L.-S., 797
Wang, T., 117, 269
Wang, X.-B., 797
Waters, T., 599

Wedd, A.G., 599
Weis, P., 373
Wesdemiotis, C., 933
Wesendrup, R., 341
Wu, J., 577
Xavier, L.A., 551
Yáñez, M., 359
Yang, H., 81
Yang, X., 797
Yeretzian, C., 69
Žabka, J., 487, 507
Zirah, S., 999
Zitrin, S., 191

ELSEVIER

International Journal of Mass Spectrometry 228 (2003) 1099–1109

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 228

Ab initio
Ab initio characterization of the weakly bound anions $ClOO^-$ and $ArCl^-$, 667
Theoretical studies of methane elimination from $C_4H_9^+$ and H_2 elimination from $C_3H_7^+$, 955
Ab initio calculations
Beryllium–helium cations: computational evidence for a large class of thermodynamically stable species, 415
Absolute cross sections
Experimental studies on the formation of argon atoms in Ar^+–atoms collisions, 107
Acetone cations
Surface-induced dissociation of acetone cations from self-assembled monolayer surface of fluorinated alkyl thiol on Au (1 1 1) substrate at low collision energies, 563
Acetone–water clusters
Ultrafast dynamics of acetone–water clusters: the influence of solvation, 677
Acetonitrile
Quantification of acetonitrile in exhaled breath and urinary headspace using selected ion flow tube mass spectrometry, 655
Atmospheric pressure photoionization mechanisms. 1. The case of acetonitrile, 841
Actinide ions
FTICR-MS study of the gas-phase thermochemistry of americium oxides, 457
Acylium ions
Reactions of gaseous halocarbonyl cations with aromatic compounds: ionic carbonylation of inert C–H bonds, 901
Adenine radical
Neutralization–reionization of ions produced by electrospray. Instrument design and initial data, 687
$Ag_2^+(O_2)_n$ cluster
Bonding interactions in $Ag^+(O_2)_n$ and $Ag_2^+(O_2)_n$ clusters: experiment and theory, 865
Alkane elimination
Theoretical studies of methane elimination from $C_4H_9^+$ and H_2 elimination from $C_3H_7^+$, 955
1-Alkenes
Specific reactivity of 1-alkenes with transition metal cations. 1-Pentene– and 1-octene–Cu^+ reactions in the gas phase, 359
Alzheimer's disease
Zinc binding properties of the amyloid fragment Aβ(1–16) studied by electrospray-ionization mass spectrometry, 999
Americium oxides
FTICR-MS study of the gas-phase thermochemistry of americium oxides, 457
Amino acid clusters
Structural determinants for the evaporation of intact oligomers from collisionally activated cluster ions, 933
Amino acid radicals
Neutralization–reionization of ions produced by electrospray. Instrument design and initial data, 687
Amino acids
Na^+ affinities of gas-phase amino acids by ligand exchange equilibrium, 825
α-Aminophosphonic acids
Gas-phase basicity and enantiodiscrimination of some phosphorous-containing α-amino acid mimics, 349
Ammonia
Gas-phase ion chemistry in $GeH_4/C_2H_4/XH_3$ (X = P, N) systems, 403
Amyloid peptide
Zinc binding properties of the amyloid fragment Aβ(1–16) studied by electrospray-ionization mass spectrometry, 999
Angular distributions
Experimental studies on the formation of argon atoms in Ar^+–atoms collisions, 107
Anion
The impervious route to the elusive $HOOO^-$ anion, 717
Anionic precursors
Generation of neutrals from anionic precursors in the gas phase. The anionic, neutral and cationic rearrangements of CCCCHO and CCCHCO to HCCCCO, 467
APPI
Atmospheric pressure photoionization mechanisms. 1. The case of acetonitrile, 841
AQCC
A theoretical study of the ground and excited states of the $CHCl^{2+}$ dication and the $CHCl^+$ cation, 497
Ar
Experimental studies on the formation of argon atoms in Ar^+–atoms collisions, 107
Ar^+
Experimental studies on the formation of argon atoms in Ar^+–atoms collisions, 107
Argon chloride
Ab initio characterization of the weakly bound anions $ClOO^-$ and $ArCl^-$, 667

doi:10.1016/S1387-3806(03)00323-3

Aromatic C–H bond activation
Reactions of gaseous halocarbonyl cations with aromatic compounds: ionic carbonylation of inert C–H bonds, 901
Atmospheric chemistry
On gaseous $C_4H_6O_2$ compounds in the atmosphere: new insights from collision experiments of the protonated molecules in the laboratory and on aircraft, 35

Benzenedicarboxylic acid dimethyl ester
On the chemistry following methoxy migration in the metastably decomposing $(M - COOCH_3)^+$ ions (*m/z* 135) from dimethyl phthalate, isophthalate and terephthalate, 891
Benzophenone photoprobe
Tandem mass spectrometric characterization of branched peptides derived from photoaffinity labeling, 527
Beryllium
Beryllium–helium cations: computational evidence for a large class of thermodynamically stable species, 415
Bicyclo[2.2.2]octanes
Proton-induced intra-complex hydride transfer involving bicyclo[2.2.2]octane units as a rigid spacer and as a carbocation precursor, 321
Bidentate bases
Application of the kinetic method to bifunctional bases. ESI tandem quadrupole experiments, 1035
Binding energies
Determining C_2 binding energies from KERDs for C_{80}^+ and C_{82}^+ fullerenes and their endohedrals, 181
Bond energies
Sequential bond energies of $Ag^+(H_2O)_n$ and Ag^+(dimethyl ether)$_n$, n = 1–4, determined by threshold collision-induced dissociation, 221
Bonding
Two-center three-electron bonds involving selenium, 429
Bonding interactions
Bonding interactions in $Ag^+(O_2)_n$ and $Ag_2^+(O_2)_n$ clusters: experiment and theory, 865
Breakdown curves
ESI/MS/MS in characterization of diastereomeric intermediates in the stereocontrolled synthesis of protoberberines, 209
Breath
Quantification of acetonitrile in exhaled breath and urinary headspace using selected ion flow tube mass spectrometry, 655
2-Bromopropene radical cation
Reactions of 2-bromopropene radical cation with amines—a study by FT-ICR spectrometry and DFT calculation, 167

Carbene
Electrospray ionization and liquid secondary ion mass spectrometric study of N-heterocyclic carbenes and their 1,2,4-triazolium salt precursors, 61
Carbene precursors
Electrospray ionization and liquid secondary ion mass spectrometric study of N-heterocyclic carbenes and their 1,2,4-triazolium salt precursors, 61
Carbon cycle
Stable isotope ratio mass spectrometry in global climate change research, 1
Carbon dioxide
Field-induced ionization and Coulomb explosion of CO_2 by intense femtosecond laser pulses, 81
Carbonylation
Reactions of gaseous halocarbonyl cations with aromatic compounds: ionic carbonylation of inert C–H bonds, 901
Carboxylic acids
On gaseous $C_4H_6O_2$ compounds in the atmosphere: new insights from collision experiments of the protonated molecules in the laboratory and on aircraft, 35
Structures and fragmentations of electrosprayed Zn(II) complexes of carboxylic acids in the gas phase. Isomerisation versus desolvation during the last desolvation step, 779
Catalysis
Catalytic gas phase dehydration of acetic acid to ketene, 599
Catenanes
Distinguishing the topology of macrocyclic compounds and catenanes, 373
Cations
Specific reactivity of 1-alkenes with transition metal cations. 1-Pentene– and 1-octene–Cu^+ reactions in the gas phase, 359
CBS-QB3 model chemistry
The remarkable decarbonylation of CH_3O–P=O$^{\bullet+}$ and its distonic isomer CH_2O–P–OH$^{\bullet+}$: an experimental and CBS-QB3 computational study, 759
$C_4F_4Cl_2$ (1,2-dichlorotetrafluorocyclobutene)
Electron attachment and detachment: cyclo-$C_4F_4Cl_2$, 541
CH_4
Cross sections and ion kinetic energies for electron impact ionization of CH_4, 307
$C_3H_7^+$
Theoretical studies of methane elimination from $C_4H_9^+$ and H_2 elimination from $C_3H_7^+$, 955
$C_4H_9^+$
Theoretical studies of methane elimination from $C_4H_9^+$ and H_2 elimination from $C_3H_7^+$, 955
$C_4H_4^+$ ion
How ergodic is the fragmentation of the pyridine cation? A maximum entropy analysis, 389
Charge solvated
Investigations of the gas-phase reactivity of Cu^+ and Ag^+ glycine complexes towards CO, D_2O and NH_3, 629
Charge transfer
Experimental studies on the formation of argon atoms in Ar^+–atoms collisions, 107
Selected ion flow tube, SIFT, studies of the reactions of H_3O^+, NO^+ and O_2^+ with eleven $C_{10}H_{16}$ monoterpenes, 117
Reactions of molecular dications: collision energy dependence of integral cross-sections of processes in $CHCl^{2+}$ + Ar, D_2 systems from guided beam studies, 487
Ion/ion reactions of multiply charged nucleic acid anions: electron transfer, proton transfer, and ion attachment, 577

Chemical ionization (CI)
On gaseous $C_4H_6O_2$ compounds in the atmosphere: new insights from collision experiments of the protonated molecules in the laboratory and on aircraft, 35
Protonation and methylation of thiophenol, thioanisole and their halogenated derivatives: mass spectrometric and computational study, 151
The role of hydride migration in the mechanism of alcohol elimination from protonated ethers upon chemical ionization. Experiment and theory, 297
Fragmentations of some dinitrile anions, 1083
Chemical mass shift
Theory, simulation and measurement of chemical mass shifts in RF quadrupole ion traps, 237
Chlorinated fullerenes
The influence of phenylated by-products on the MALDI analysis of chlorinated fullerenes, 979
Chlorine dioxide
Ab initio characterization of the weakly bound anions $ClOO^-$ and $ArCl^-$, 667
$C_4H_6O_2$
On gaseous $C_4H_6O_2$ compounds in the atmosphere: new insights from collision experiments of the protonated molecules in the laboratory and on aircraft, 35
CH_3O migration
On the chemistry following methoxy migration in the metastably decomposing $(M - COOCH_3)^+$ ions (*m/z* 135) from dimethyl phthalate, isophthalate and terephthalate, 891
CH_3PO_2 isomers
The remarkable decarbonylation of $CH_3O–P=O^{\bullet+}$ and its distonic isomer $CH_2O–P–OH^{\bullet+}$: an experimental and CBS-QB3 computational study, 759
Citraconates
The distinctive behavior of isomeric methyl ethyl mixed esters of 2-methylmaleic acid upon electron ionization, 191
Climate change
Stable isotope ratio mass spectrometry in global climate change research, 1
Cluster evaporation
Structural determinants for the evaporation of intact oligomers from collisionally activated cluster ions, 933
Clusters
Ultrafast dynamics of acetone–water clusters: the influence of solvation, 677
Structural determinants for the evaporation of intact oligomers from collisionally activated cluster ions, 933
CO_2^{2+}
Internal energy effects in the reactivity of CO_2^{2+} doubly charged molecular ions with CO_2 and CO, 507
Collisional activation
Protonation and methylation of thiophenol, thioanisole and their halogenated derivatives: mass spectrometric and computational study, 151
Collision-induced dissociation (CID)
On gaseous $C_4H_6O_2$ compounds in the atmosphere: new insights from collision experiments of the protonated molecules in the laboratory and on aircraft, 35
The distinctive behavior of isomeric methyl ethyl mixed esters of 2-methylmaleic acid upon electron ionization, 191
Tandem mass spectrometric characterization of branched peptides derived from photoaffinity labeling, 527
Collision-induced symmetric fission of doubly-charged cubelike $[Fe_4S_4X_4]^{2-}$ clusters, 797
Computation
Microsolvation of metal ions: on the stability of $[Zr(CH_3CN)]^{4+}$ and other multiply charged ions, 517
Concerted elimination
Theoretical studies of methane elimination from $C_4H_9^+$ and H_2 elimination from $C_3H_7^+$, 955
Corticotropin-releasing factor (CRF)
Tandem mass spectrometric characterization of branched peptides derived from photoaffinity labeling, 527
Coulomb explosion
Field-induced ionization and Coulomb explosion of CO_2 by intense femtosecond laser pulses, 81
Coulomb repulsion
Electron affinity versus Coulomb repulsion—when dialkoxides become stable gas phase species, 341
Cross sections
Cross sections and ion kinetic energies for electron impact ionization of CH_4, 307

2D gels
Structural identification and quantification of protein phosphorylations after gel electrophoretic separation using Fourier transform ion cyclotron resonance mass spectrometry and laser ablation inductively coupled plasma mass spectrometry, 985
Decarbonylation
The remarkable decarbonylation of $CH_3O–P=O^{\bullet+}$ and its distonic isomer $CH_2O–P–OH^{\bullet+}$: an experimental and CBS-QB3 computational study, 759
Density functional calculations
The role of hydride migration in the mechanism of alcohol elimination from protonated ethers upon chemical ionization. Experiment and theory, 297
Density functional theory
On gaseous $C_4H_6O_2$ compounds in the atmosphere: new insights from collision experiments of the protonated molecules in the laboratory and on aircraft, 35
Electron attachment and detachment: cyclo-$C_4F_4Cl_2$, 541
Density functional theory calculations
Specific reactivity of 1-alkenes with transition metal cations. 1-Pentene– and 1-octene–Cu^+ reactions in the gas phase, 359
Desolvation
Structures and fragmentations of electrosprayed Zn(II) complexes of carboxylic acids in the gas phase. Isomerisation versus desolvation during the last desolvation step, 779
Desorbed species
Intermediate species in a 2.45 GHz microwave plasma sustained in an argon–tetramethylsilane gas mixture, 49
Deuterium labeling
The distinctive behavior of isomeric methyl ethyl mixed esters of 2-methylmaleic acid upon electron ionization, 191

DFT
Reactions of 2-bromopropene radical cation with amines—a study by FT-ICR spectrometry and DFT calculation, 167
DFT calculations
The distinctive behavior of isomeric methyl ethyl mixed esters of 2-methylmaleic acid upon electron ionization, 191
Dianions
Electron affinity versus Coulomb repulsion—when dialkoxides become stable gas phase species, 341
Diastereoisomers
ESI/MS/MS in characterization of diastereomeric intermediates in the stereocontrolled synthesis of protoberberines, 209
Dication
Reactions of molecular dications: collision energy dependence of integral cross-sections of processes in $CHCl^{2+}$ + Ar, D_2 systems from guided beam studies, 487
A theoretical study of the ground and excited states of the $CHCl^{2+}$ dication and the $CHCl^{+}$ cation, 497
Internal energy effects in the reactivity of CO_2^{2+} doubly charged molecular ions with CO_2 and CO, 507
Dimethyl ether
Sequential bond energies of $Ag^{+}(H_2O)_n$ and Ag^{+}(dimethyl ether)$_n$, n = 1–4, determined by threshold collision-induced dissociation, 221
Dimolybdate
Catalytic gas phase dehydration of acetic acid to ketene, 599
Discharge plasma
Optical detection of C_9H_3, $C_{11}H_3$, and $C_{13}H_3$ from a hydrocarbon discharge source, 647
Dissociative electron attachment
Formation of negative ions from gas phase halo-uracils by low-energy (0–18 eV) electron impact, 703

ECD
Secondary fragmentation of linear peptides in electron capture dissociation, 723
Electron affinity
Electron affinity versus Coulomb repulsion—when dialkoxides become stable gas phase species, 341
Electron attachment and detachment: cyclo-$C_4F_4Cl_2$, 541
Ab initio characterization of the weakly bound anions $ClOO^{-}$ and $ArCl^{-}$, 667
Formation of negative ions from gas phase halo-uracils by low-energy (0–18 eV) electron impact, 703
Electron attachment
Electron attachment and detachment: cyclo-$C_4F_4Cl_2$, 541
Electron capture dissociation
Secondary fragmentation of linear peptides in electron capture dissociation, 723
Electron detachment
Hydration of cyclic oxocarbon dianions, such as c-$C_5O_5^{2-}$, in the gas phase. Charge reduction of hydrates by electron detachment or proton transfer. Energy barriers for electron detachment and electron transfer, 1017
Electron impact ionization
Cross sections and ion kinetic energies for electron impact ionization of CH_4, 307
Electron ionization (EI)
The distinctive behavior of isomeric methyl ethyl mixed esters of 2-methylmaleic acid upon electron ionization, 191
Electron transfer
Reactions of 2-bromopropene radical cation with amines—a study by FT-ICR spectrometry and DFT calculation, 167
Electronic spectroscopy
Optical detection of C_9H_3, $C_{11}H_3$, and $C_{13}H_3$ from a hydrocarbon discharge source, 647
Electrospray
Hydrogen/deuterium exchange of electrosprayed ions in the atmospheric interface of a commercial triple–quadrupole mass spectrometer, 729
Structures and fragmentations of electrosprayed Zn(II) complexes of carboxylic acids in the gas phase. Isomerisation versus desolvation during the last desolvation step, 779
Collision-induced symmetric fission of doubly-charged cubelike $[Fe_4S_4X_4]^{2-}$ clusters, 797
Electrospray interface
Neutralization–reionization of ions produced by electrospray. Instrument design and initial data, 687
Electrospray ionization
ESI/MS/MS in characterization of diastereomeric intermediates in the stereocontrolled synthesis of protoberberines, 209
Ion chemistry of the hexanuclear methoxo-oxovanadium cluster $V_6O_7(OCH_3)_{12}$, 743
Electrospray-ionization mass spectrometry
Zinc binding properties of the amyloid fragment Aβ(1–16) studied by electrospray-ionization mass spectrometry, 999
Eley–Rideal reactions
Implanting atomic ions into surface adsorbed fullerenes: the single collision formation and emission of $Cs@C_{60}^{+}$ and $Cs@C_{70}^{+}$, 1055
Endohedral fullerenes
Determining C_2 binding energies from KERDs for C_{80}^{+} and C_{82}^{+} fullerenes and their endohedrals, 181
Implanting atomic ions into surface adsorbed fullerenes: the single collision formation and emission of $Cs@C_{60}^{+}$ and $Cs@C_{70}^{+}$, 1055
Energy transfer
Surface-induced dissociation of acetone cations from self-assembled monolayer surface of fluorinated alkyl thiol on Au (1 1 1) substrate at low collision energies, 563
Enthalpy of formation
A comprehensive computational investigation of the enthalpies of formation and proton affinities of C_4H_7N and C_3H_3ON compounds, 91
The remarkable decarbonylation of $CH_3O–P{=}O^{\bullet+}$ and its distonic isomer $CH_2O–P–OH^{\bullet+}$: an experimental and CBS-QB3 computational study, 759
Equilibrium
Two-center three-electron bonds involving selenium, 429
Na^{+} affinities of gas-phase amino acids by ligand exchange equilibrium, 825
Esters
The distinctive behavior of isomeric methyl ethyl mixed esters of 2-methylmaleic acid upon electron ionization, 191

Ethene
Gas-phase ion chemistry in $GeH_4/C_2H_4/XH_3$ (X = P, N) systems, 403
Ethers
The role of hydride migration in the mechanism of alcohol elimination from protonated ethers upon chemical ionization. Experiment and theory, 297

Fast atom bombardement
Fragmentations of some dinitrile anions, 1083
Femtochemistry
Ultrafast dynamics of acetone–water clusters: the influence of solvation, 677
Femtosecond
Field-induced ionization and Coulomb explosion of CO_2 by intense femtosecond laser pulses, 81
Field ionization
Field-induced ionization and Coulomb explosion of CO_2 by intense femtosecond laser pulses, 81
Finite Heat Bath Theory (FHBT)
Determining C_2 binding energies from KERDs for C_{80}^+ and C_{82}^+ fullerenes and their endohedrals, 181
Flowing-afterglow Langmuir-probe
Electron attachment and detachment: cyclo-$C_4F_4Cl_2$, 541
Fluorination
In situ synthesis and characterization of fullerene derivatives by Knudsen-cell mass spectrometry, 807
Fragmentation mechanisms
Structural analysis of high affinity divalent phosphopeptide hybrids of spleen tyrosine kinase, 879
Fragmentation pathway
Electrospray ionization and liquid secondary ion mass spectrometric study of N-heterocyclic carbenes and their 1,2,4-triazolium salt precursors, 61
FT-ICR
Reactions of 2-bromopropene radical cation with amines—a study by FT-ICR spectrometry and DFT calculation, 167
Structure, thermochemistry, and reactivity of MS_n^+ cations (M = V, Mo; n = 1–3) in the gas phase, 439
Secondary fragmentation of linear peptides in electron capture dissociation, 723
Na^+ affinities of gas-phase amino acids by ligand exchange equilibrium, 825
FT-ICR-MS
Structural identification and quantification of protein phosphorylations after gel electrophoretic separation using Fourier transform ion cyclotron resonance mass spectrometry and laser ablation inductively coupled plasma mass spectrometry, 985
FT-MS
Secondary fragmentation of linear peptides in electron capture dissociation, 723
Fullerenes
Determining C_2 binding energies from KERDs for C_{80}^+ and C_{82}^+ fullerenes and their endohedrals, 181
In situ synthesis and characterization of fullerene derivatives by Knudsen-cell mass spectrometry, 807
Production of small binary carbon clusters by laser ablation of thin films of derivatised fullerenes, 969

G3 theory
Beryllium–helium cations: computational evidence for a large class of thermodynamically stable species, 415
G3(MP2)
Electron attachment and detachment: cyclo-$C_4F_4Cl_2$, 541
Gas phase
Generation of neutrals from anionic precursors in the gas phase. The anionic, neutral and cationic rearrangements of CCCCHO and CCCHCO to HCCCCO, 467
Catalytic gas phase dehydration of acetic acid to ketene, 599
Gas phase basicity
Application of the kinetic method to bifunctional bases. ESI tandem quadrupole experiments, 1035
Gas phase ion chemistry
Reactivity of gaseous protonated ozone: a computational investigation on the carbon monoxide oxidation reaction, 613
Gas-phase enantioselectivity
Gas-phase basicity and enantiodiscrimination of some phosphorous-containing α-amino acid mimics, 349
Germane
Gas-phase ion chemistry in $GeH_4/C_2H_4/XH_3$ (X = P, N) systems, 403
Germyl ions
Ligand exchange ion–molecule reactions of simple silyl and germyl cations, 551
GIB
Structure, thermochemistry, and reactivity of MS_n^+ cations (M = V, Mo; n = 1–3) in the gas phase, 439
Glycine
Investigations of the gas-phase reactivity of Cu^+ and Ag^+ glycine complexes towards CO, D_2O and NH_3, 629
Ground and excited states
A theoretical study of the ground and excited states of the $CHCl^{2+}$ dication and the $CHCl^+$ cation, 497
Guided ion beams
Sequential bond energies of $Ag^+(H_2O)_n$ and Ag^+(dimethyl ether)$_n$, n = 1–4, determined by threshold collision-induced dissociation, 221

H/D exchange
Hydrogen/deuterium exchange of electrosprayed ions in the atmospheric interface of a commercial triple–quadrupole mass spectrometer, 729
Halocarbonyl cations
Reactions of gaseous halocarbonyl cations with aromatic compounds: ionic carbonylation of inert C–H bonds, 901
Halo-uracils
Formation of negative ions from gas phase halo-uracils by low-energy (0–18 eV) electron impact, 703
Helium cations
Beryllium–helium cations: computational evidence for a large class of thermodynamically stable species, 415

Heterocyclic radicals
Neutralization–reionization of ions produced by electrospray. Instrument design and initial data, 687
High-purity material
State-of-the-art in inorganic mass spectrometry for analysis of high-purity materials, 127
Hydration
Hydration of cyclic oxocarbon dianions, such as c-$C_5O_5^{2-}$, in the gas phase. Charge reduction of hydrates by electron detachment or proton transfer. Energy barriers for electron detachment and electron transfer, 1017
Hydride transfer
Proton-induced intra-complex hydride transfer involving bicyclo[2.2.2]octane units as a rigid spacer and as a carbocation precursor, 321
Hydrogen peroxide
A SIFT study of the reactions of H_3O^+, NO^+ and O_2^+ with hydrogen peroxide and peroxyacetic acid, 269
Hydrogen transfer
The role of hydride migration in the mechanism of alcohol elimination from protonated ethers upon chemical ionization. Experiment and theory, 297
Hydrogen-bridged radical cations
The remarkable decarbonylation of $CH_3O–P=O^{\bullet+}$ and its distonic isomer $CH_2O–P–OH^{\bullet+}$: an experimental and CBS-QB3 computational study, 759

Inductively coupled plasma mass spectrometry
State-of-the-art in inorganic mass spectrometry for analysis of high-purity materials, 127
Inelastic scattering
Surface-induced dissociation of acetone cations from self-assembled monolayer surface of fluorinated alkyl thiol on Au (1 1 1) substrate at low collision energies, 563
Inorganic mass spectrometry
State-of-the-art in inorganic mass spectrometry for analysis of high-purity materials, 127
Integral cross-sections
Reactions of molecular dications: collision energy dependence of integral cross-sections of processes in $CHCl^{2+}$ + Ar, D_2 systems from guided beam studies, 487
Interstellar chemistry
Optical detection of C_9H_3, $C_{11}H_3$, and $C_{13}H_3$ from a hydrocarbon discharge source, 647
Ion clusters
Gas-phase ion chemistry in $GeH_4/C_2H_4/XH_3$ (X = P, N) systems, 403
Ion fission
Collision-induced symmetric fission of doubly-charged cubelike $[Fe_4S_4X_4]^{2-}$ clusters, 797
Ion implantation
Implanting atomic ions into surface adsorbed fullerenes: the single collision formation and emission of $Cs@C_{60}^+$ and $Cs@C_{70}^+$, 1055
Ion kinetic energy
Cross sections and ion kinetic energies for electron impact ionization of CH_4, 307
Ion mobility experiments
Distinguishing the topology of macrocyclic compounds and catenanes, 373
Ion motion
Theory, simulation and measurement of chemical mass shifts in RF quadrupole ion traps, 237
Ion parking
Ion/ion reactions of multiply charged nucleic acid anions: electron transfer, proton transfer, and ion attachment, 577
Ion structures
The distinctive behavior of isomeric methyl ethyl mixed esters of 2-methylmaleic acid upon electron ionization, 191
Ion trap mass spectrometry
Gas-phase ion chemistry in $GeH_4/C_2H_4/XH_3$ (X = P, N) systems, 403
Ion/ion reactions
Ion/ion reactions of multiply charged nucleic acid anions: electron transfer, proton transfer, and ion attachment, 577
Ion/molecule complexes
Proton-induced intra-complex hydride transfer involving bicyclo[2.2.2]octane units as a rigid spacer and as a carbocation precursor, 321
Ion/molecule reaction
Reactions of 2-bromopropene radical cation with amines—a study by FT-ICR spectrometry and DFT calculation, 167
Atmospheric pressure photoionization mechanisms. 1. The case of acetonitrile, 841
Ionisation
Intermediate species in a 2.45 GHz microwave plasma sustained in an argon–tetramethylsilane gas mixture, 49
Ionization energy (IE)
FTICR-MS study of the gas-phase thermochemistry of americium oxides, 457
A theoretical study of the ground and excited states of the $CHCl^{2+}$ dication and the $CHCl^+$ cation, 497
Ion–molecule reactions
A SIFT study of the reactions of H_3O^+, NO^+ and O_2^+ with hydrogen peroxide and peroxyacetic acid, 269
Internal energy effects in the reactivity of CO_2^{2+} doubly charged molecular ions with CO_2 and CO, 507
Hydrogen/deuterium exchange of electrosprayed ions in the atmospheric interface of a commercial triple–quadrupole mass spectrometer, 729
Reactions of gaseous halocarbonyl cations with aromatic compounds: ionic carbonylation of inert C–H bonds, 901
Ion–neutral complex
Theoretical studies of methane elimination from $C_4H_9^+$ and H_2 elimination from $C_3H_7^+$, 955
Ion-surface collisions
Surface-induced dissociation of acetone cations from self-assembled monolayer surface of fluorinated alkyl thiol on Au (1 1 1) substrate at low collision energies, 563
Iron–sulfur clusters
Collision-induced symmetric fission of doubly-charged cubelike $[Fe_4S_4X_4]^{2-}$ clusters, 797

Isomer
Ab initio characterization of the weakly bound anions $ClOO^-$ and $ArCl^-$, 667
Isomerization
On the chemistry following methoxy migration in the metastably decomposing $(M - COOCH_3)^+$ ions (*m/z* 135) from dimethyl phthalate, isophthalate and terephthalate, 891
Isotope ratio mass spectrometry
Stable isotope ratio mass spectrometry in global climate change research, 1

Ketene
Catalytic gas phase dehydration of acetic acid to ketene, 599
Kinetic energy release
How ergodic is the fragmentation of the pyridine cation? A maximum entropy analysis, 389
Kinetic Energy Release Distribution (KERD)
Determining C_2 binding energies from KERDs for C_{80}^+ and C_{82}^+ fullerenes and their endohedrals, 181
Kinetic method
Application of the kinetic method to bifunctional bases. ESI tandem quadrupole experiments, 1035
Kinetics
Electron attachment and detachment: cyclo-$C_4F_4Cl_2$, 541
Knots
Distinguishing the topology of macrocyclic compounds and catenanes, 373
Knudsen-cell mass spectrometry
In situ synthesis and characterization of fullerene derivatives by Knudsen-cell mass spectrometry, 807

$La@C_{82}$
Oxygen reactivity of $La@C_{82}$ investigated with laser desorption mass spectrometry, 913
LA-ICP-MS
Structural identification and quantification of protein phosphorylations after gel electrophoretic separation using Fourier transform ion cyclotron resonance mass spectrometry and laser ablation inductively coupled plasma mass spectrometry, 985
Laser ablation
Production of small binary carbon clusters by laser ablation of thin films of derivatised fullerenes, 969
Laser ablation ICP-MS
State-of-the-art in inorganic mass spectrometry for analysis of high-purity materials, 127
Laser desorption mass spectrometry
Oxygen reactivity of $La@C_{82}$ investigated with laser desorption mass spectrometry, 913
LDI
The influence of phenylated by-products on the MALDI analysis of chlorinated fullerenes, 979
Ligation
Investigations of the gas-phase reactivity of Cu^+ and Ag^+ glycine complexes towards CO, D_2O and NH_3, 629
Low-energy electrons
Formation of negative ions from gas phase halo-uracils by low-energy (0–18 eV) electron impact, 703

Macrocycles
Distinguishing the topology of macrocyclic compounds and catenanes, 373
Magic numbers
Determining C_2 binding energies from KERDs for C_{80}^+ and C_{82}^+ fullerenes and their endohedrals, 181
MALDI
The influence of phenylated by-products on the MALDI analysis of chlorinated fullerenes, 979
Mass spectra of isomers
The distinctive behavior of isomeric methyl ethyl mixed esters of 2-methylmaleic acid upon electron ionization, 191
Mass spectrometry
Electrospray ionization and liquid secondary ion mass spectrometric study of N-heterocyclic carbenes and their 1,2,4-triazolium salt precursors, 61
Gas-phase basicity and enantiodiscrimination of some phosphorous-containing α-amino acid mimics, 349
Distinguishing the topology of macrocyclic compounds and catenanes, 373
Structure, thermochemistry, and reactivity of MS_n^+ cations (M = V, Mo; n = 1–3) in the gas phase, 439
Structures and fragmentations of electrosprayed Zn(II) complexes of carboxylic acids in the gas phase. Isomerisation versus desolvation during the last desolvation step, 779
Mass spectrum
Field-induced ionization and Coulomb explosion of CO_2 by intense femtosecond laser pulses, 81
MATI spectra
Enhancing of the signal-to-noise ratio in MATI spectra, 921
Maximum entropy method
How ergodic is the fragmentation of the pyridine cation? A maximum entropy analysis, 389
Mechanism of alcohol elimination
The role of hydride migration in the mechanism of alcohol elimination from protonated ethers upon chemical ionization. Experiment and theory, 297
Mechanism of fragmentation
The distinctive behavior of isomeric methyl ethyl mixed esters of 2-methylmaleic acid upon electron ionization, 191
Metal dications
Generation of "unstable" doubly charged metal ion complexes in a laser vaporization cluster source, 285
Metal hydrocarbon compounds
Mass selective photodetachment photoelectron spectroscopy: small transition metal (Fe, Ni) carbon hydrogen compounds, 1067
Metal ion solvation
Generation of "unstable" doubly charged metal ion complexes in a laser vaporization cluster source, 285
Metal ions
Investigations of the gas-phase reactivity of Cu^+ and Ag^+ glycine complexes towards CO, D_2O and NH_3, 629
Metal salts
Investigations of the gas-phase reactivity of Cu^+ and Ag^+ glycine complexes towards CO, D_2O and NH_3, 629

Metal solvates
Microsolvation of metal ions: on the stability of $[Zr(CH_3CN)]^{4+}$ and other multiply charged ions, 517
Metal sulfide cation
Structure, thermochemistry, and reactivity of MS_n^+ cations (M = V, Mo; n = 1–3) in the gas phase, 439
Metastable cluster ions
Generation of "unstable" doubly charged metal ion complexes in a laser vaporization cluster source, 285
Metastable ions
Proton-induced intra-complex hydride transfer involving bicyclo[2.2.2]octane units as a rigid spacer and as a carbocation precursor, 321
Fragmentations of some dinitrile anions, 1083
Methide abstraction
Ligand exchange ion–molecule reactions of simple silyl and germyl cations, 551
Methoxo-oxovanadium cluster
Ion chemistry of the hexanuclear methoxo-oxovanadium cluster $V_6O_7(OCH_3)_{12}$, 743
MIKE
On the chemistry following methoxy migration in the metastably decomposing $(M - COOCH_3)^+$ ions (m/z 135) from dimethyl phthalate, isophthalate and terephthalate, 891
MIKE-spectrometry
Fragmentations of some dinitrile anions, 1083
Molecular mousetraps
Biomimetic approaches to gas phase peptide chemistry: combining selective binding motifs with reactive carbene precursors to form molecular mousetraps, 851
Molecular orbital calculations
Protonation and methylation of thiophenol, thioanisole and their halogenated derivatives: mass spectrometric and computational study, 151
MS/MS
Two-center three-electron bonds involving selenium, 429
Secondary fragmentation of linear peptides in electron capture dissociation, 723
Multichannel RRKM
Reactivity of gaseous protonated ozone: a computational investigation on the carbon monoxide oxidation reaction, 613
Multiphoton absorption
Enhancing of the signal-to-noise ratio in MATI spectra, 921
Multiphoton ionization
Enhancing of the signal-to-noise ratio in MATI spectra, 921
Multiply charged ions
Microsolvation of metal ions: on the stability of $[Zr(CH_3CN)]^{4+}$ and other multiply charged ions, 517
Multiply-charged anions
Collision-induced symmetric fission of doubly-charged cubelike $[Fe_4S_4X_4]^{2-}$ clusters, 797

Neutral fragment reionization
Structural determinants for the evaporation of intact oligomers from collisionally activated cluster ions, 933
Neutralization–reionization
Neutralization–reionization of ions produced by electrospray. Instrument design and initial data, 687
Neutrals
Generation of neutrals from anionic precursors in the gas phase. The anionic, neutral and cationic rearrangements of CCCCHO and CCCHCO to HCCCCO, 467
Nonlinear fields
Theory, simulation and measurement of chemical mass shifts in RF quadrupole ion traps, 237
Nucleophilic substitution
Reactions of 2-bromopropene radical cation with amines—a study by FT-ICR spectrometry and DFT calculation, 167

Oligonucleotide anions
Ion/ion reactions of multiply charged nucleic acid anions: electron transfer, proton transfer, and ion attachment, 577
Oxocarbon dianions
Hydration of cyclic oxocarbon dianions, such as $c\text{-}C_5O_5^{2-}$, in the gas phase. Charge reduction of hydrates by electron detachment or proton transfer. Energy barriers for electron detachment and electron transfer, 1017
Oxygen reactivity
Oxygen reactivity of $La@C_{82}$ investigated with laser desorption mass spectrometry, 913
Ozonation
The impervious route to the elusive $HOOO^-$ anion, 717
Ozone chemistry
Reactivity of gaseous protonated ozone: a computational investigation on the carbon monoxide oxidation reaction, 613

Pentaquadrupole mass spectrometry
Reactions of gaseous halocarbonyl cations with aromatic compounds: ionic carbonylation of inert C–H bonds, 901
Peptide–protein interaction
Tandem mass spectrometric characterization of branched peptides derived from photoaffinity labeling, 527
Peptides
Biomimetic approaches to gas phase peptide chemistry: combining selective binding motifs with reactive carbene precursors to form molecular mousetraps, 851
Peptidomimetics
Structural analysis of high affinity divalent phosphopeptide hybrids of spleen tyrosine kinase, 879
Peroxyacetic acid
A SIFT study of the reactions of H_3O^+, NO^+ and O_2^+ with hydrogen peroxide and peroxyacetic acid, 269
Phase space
How ergodic is the fragmentation of the pyridine cation? A maximum entropy analysis, 389
Phosphine
Gas-phase ion chemistry in $GeH_4/C_2H_4/XH_3$ (X = P, N) systems, 403
O-Phospho α-amino acids
Gas-phase basicity and enantiodiscrimination of some phosphorous-containing α-amino acid mimics, 349

Phosphorus
Structural identification and quantification of protein phosphorylations after gel electrophoretic separation using Fourier transform ion cyclotron resonance mass spectrometry and laser ablation inductively coupled plasma mass spectrometry, 985
Phosphorylation
Structural analysis of high affinity divalent phosphopeptide hybrids of spleen tyrosine kinase, 879
Photodetachment
Mass selective photodetachment photoelectron spectroscopy: small transition metal (Fe, Ni) carbon hydrogen compounds, 1067
Photodissociation
Generation of "unstable" doubly charged metal ion complexes in a laser vaporization cluster source, 285
Ultrafast dynamics of acetone–water clusters: the influence of solvation, 677
Photoelectron spectra
Mass selective photodetachment photoelectron spectroscopy: small transition metal (Fe, Ni) carbon hydrogen compounds, 1067
Photoionization
Internal energy effects in the reactivity of CO_2^{2+} doubly charged molecular ions with CO_2 and CO, 507
Atmospheric pressure photoionization mechanisms. 1. The case of acetonitrile, 841
Plasma
Intermediate species in a 2.45 GHz microwave plasma sustained in an argon–tetramethylsilane gas mixture, 49
Plutonium oxide
FTICR-MS study of the gas-phase thermochemistry of americium oxides, 457
Primary amine
Biomimetic approaches to gas phase peptide chemistry: combining selective binding motifs with reactive carbene precursors to form molecular mousetraps, 851
Product ion spectra
ESI/MS/MS in characterization of diastereomeric intermediates in the stereocontrolled synthesis of protoberberines, 209
Proteins
Structural identification and quantification of protein phosphorylations after gel electrophoretic separation using Fourier transform ion cyclotron resonance mass spectrometry and laser ablation inductively coupled plasma mass spectrometry, 985
Proton affinity
A comprehensive computational investigation of the enthalpies of formation and proton affinities of C_4H_7N and C_3H_3ON compounds, 91
Gas-phase basicity and enantiodiscrimination of some phosphorous-containing α-amino acid mimics, 349
Application of the kinetic method to bifunctional bases. ESI tandem quadrupole experiments, 1035
Proton and methyl cation affinities
Protonation and methylation of thiophenol, thioanisole and their halogenated derivatives: mass spectrometric and computational study, 151
Proton transfer
Selected ion flow tube, SIFT, studies of the reactions of H_3O^+, NO^+ and O_2^+ with eleven $C_{10}H_{16}$ monoterpenes, 117
Proton-induced intra-complex hydride transfer involving bicyclo[2.2.2]octane units as a rigid spacer and as a carbocation precursor, 321
Reactions of molecular dications: collision energy dependence of integral cross-sections of processes in $CHCl^{2+}$ + Ar, D_2 systems from guided beam studies, 487
Protonation
Atmospheric pressure photoionization mechanisms. 1. The case of acetonitrile, 841
Protonation entropy
Application of the kinetic method to bifunctional bases. ESI tandem quadrupole experiments, 1035
Protonolysis
Proton-induced intra-complex hydride transfer involving bicyclo[2.2.2]octane units as a rigid spacer and as a carbocation precursor, 321
Proton-transport catalysis
The remarkable decarbonylation of $CH_3O–P{=}O^{\bullet+}$ and its distonic isomer $CH_2O–P–OH^{\bullet+}$: an experimental and CBS-QB3 computational study, 759
Pyridine ion
How ergodic is the fragmentation of the pyridine cation?. A maximum entropy analysis, 389

Quantum calculations
Structures and fragmentations of electrosprayed Zn(II) complexes of carboxylic acids in the gas phase. Isomerisation versus desolvation during the last desolvation step, 779
Quantum chemistry
Fragmentations of some dinitrile anions, 1083

Reaction mechanism
Reactions of 2-bromopropene radical cation with amines—a study by FT-ICR spectrometry and DFT calculation, 167
Reactivity of gaseous protonated ozone: a computational investigation on the carbon monoxide oxidation reaction, 613
Fragmentations of some dinitrile anions, 1083
Resonances
Formation of negative ions from gas phase halo-uracils by low-energy (0–18 eV) electron impact, 703
RF quadrupole ion trap
Theory, simulation and measurement of chemical mass shifts in RF quadrupole ion traps, 237

Salt bridges
Structural determinants for the evaporation of intact oligomers from collisionally activated cluster ions, 933
Secondary fragmentation
Secondary fragmentation of linear peptides in electron capture dissociation, 723
Selenium
Two-center three-electron bonds involving selenium, 429

SH2 domains
Structural analysis of high affinity divalent phosphopeptide hybrids of spleen tyrosine kinase, 879
SIFT
Selected ion flow tube, SIFT, studies of the reactions of H_3O^+, NO^+ and O_2^+ with eleven $C_{10}H_{16}$ monoterpenes, 117
A SIFT study of the reactions of H_3O^+, NO^+ and O_2^+ with hydrogen peroxide and peroxyacetic acid, 269
SIFT-MS
Selected ion flow tube, SIFT, studies of the reactions of H_3O^+, NO^+ and O_2^+ with eleven $C_{10}H_{16}$ monoterpenes, 117
Quantification of acetonitrile in exhaled breath and urinary headspace using selected ion flow tube mass spectrometry, 655
Signal-to-noise ratio
Enhancing of the signal-to-noise ratio in MATI spectra, 921
Silver ions
Sequential bond energies of $Ag^+(H_2O)_n$ and Ag^+(dimethyl ether)$_n$, n = 1–4, determined by threshold collision-induced dissociation, 221
Sily and germyl migration
Ligand exchange ion–molecule reactions of simple silyl and germyl cations, 551
Silyl ions
Ligand exchange ion–molecule reactions of simple silyl and germyl cations, 551
Simulation
Theory, simulation and measurement of chemical mass shifts in RF quadrupole ion traps, 237
Skeletal rearrangement
Proton-induced intra-complex hydride transfer involving bicyclo[2.2.2]octane units as a rigid spacer and as a carbocation precursor, 321
Small binary carbon clusters
Production of small binary carbon clusters by laser ablation of thin films of derivatised fullerenes, 969
Smoking
Quantification of acetonitrile in exhaled breath and urinary headspace using selected ion flow tube mass spectrometry, 655
Sodium ion affinity
Na^+ affinities of gas-phase amino acids by ligand exchange equilibrium, 825
Solvation
Sequential bond energies of $Ag^+(H_2O)_n$ and Ag^+(dimethyl ether)$_n$, n = 1–4, determined by threshold collision-induced dissociation, 221
Solvation effects
Ultrafast dynamics of acetone–water clusters: the influence of solvation, 677
Specific reactivity
Specific reactivity of 1-alkenes with transition metal cations. 1-Pentene– and 1-octene–Cu^+ reactions in the gas phase, 359
Stable isotopes
Stable isotope ratio mass spectrometry in global climate change research, 1
Statistical theory
How ergodic is the fragmentation of the pyridine cation? A maximum entropy analysis, 389
Stereospecific fragmentation
The role of hydride migration in the mechanism of alcohol elimination from protonated ethers upon chemical ionization. Experiment and theory, 297
Supramolecular chemistry
Distinguishing the topology of macrocyclic compounds and catenanes, 373
Surface scattering
Implanting atomic ions into surface adsorbed fullerenes: the single collision formation and emission of $Cs@C_{60}^+$ and $Cs@C_{70}^+$, 1055
Surface-induced dissociation
Surface-induced dissociation of acetone cations from self-assembled monolayer surface of fluorinated alkyl thiol on Au (1 1 1) substrate at low collision energies, 563
Syk inhibitors
Structural analysis of high affinity divalent phosphopeptide hybrids of spleen tyrosine kinase, 879

Tandem mass spectrometry
Catalytic gas phase dehydration of acetic acid to ketene, 599
Tandem MS
Secondary fragmentation of linear peptides in electron capture dissociation, 723
Terpenes
Selected ion flow tube, SIFT, studies of the reactions of H_3O^+, NO^+ and O_2^+ with eleven $C_{10}H_{16}$ monoterpenes, 117
tert-Butylbenzenes
Proton-induced intra-complex hydride transfer involving bicyclo[2.2.2]octane units as a rigid spacer and as a carbocation precursor, 321
Tetramethylsilane
Intermediate species in a 2.45 GHz microwave plasma sustained in an argon–tetramethylsilane gas mixture, 49
Thermochemistry
Sequential bond energies of $Ag^+(H_2O)_n$ and Ag^+(dimethyl ether)$_n$, n = 1–4, determined by threshold collision-induced dissociation, 221
Structure, thermochemistry, and reactivity of MS_n^+ cations (M = V, Mo; n = 1–3) in the gas phase, 439
FTICR-MS study of the gas-phase thermochemistry of americium oxides, 457
Ab initio characterization of the weakly bound anions $ClOO^-$ and $ArCl^-$, 667
Thiophenols
Protonation and methylation of thiophenol, thioanisole and their halogenated derivatives: mass spectrometric and computational study, 151
Threshold ionisation
Intermediate species in a 2.45 GHz microwave plasma sustained in an argon–tetramethylsilane gas mixture, 49
Trace analysis
State-of-the-art in inorganic mass spectrometry for analysis of high-purity materials, 127
Transition metal
Specific reactivity of 1-alkenes with transition metal cations. 1-Pentene– and 1-octene–Cu^+ reactions in the gas phase, 359

Transition metal fluorides
In situ synthesis and characterization of fullerene derivatives by Knudsen-cell mass spectrometry, 807
Translational energy release
Theoretical studies of methane elimination from $C_4H_9^+$ and H_2 elimination from $C_3H_7^+$, 955
Trapping by proxy
Ion/ion reactions of multiply charged nucleic acid anions: electron transfer, proton transfer, and ion attachment, 577
Triazolium salts
Electrospray ionization and liquid secondary ion mass spectrometric study of N-heterocyclic carbenes and their 1,2,4-triazolium salt precursors, 61
Trifluoromethylation
In situ synthesis and characterization of fullerene derivatives by Knudsen-cell mass spectrometry, 807
Tropospheric chemistry
A comprehensive computational investigation of the enthalpies of formation and proton affinities of C_4H_7N and C_3H_3ON compounds, 91
Tropospheric pollution
The impervious route to the elusive $HOOO^-$ anion, 717

Urine
Quantification of acetonitrile in exhaled breath and urinary headspace using selected ion flow tube mass spectrometry, 655

Vacuum ultraviolet
Internal energy effects in the reactivity of CO_2^{2+} doubly charged molecular ions with CO_2 and CO, 507
van der Waals
Ab initio characterization of the weakly bound anions $ClOO^-$ and $ArCl^-$, 667
Vanadium oxides
Ion chemistry of the hexanuclear methoxo-oxovanadium cluster $V_6O_7(OCH_3)_{12}$, 743

Water
Sequential bond energies of $Ag^+(H_2O)_n$ and Ag^+(dimethyl ether)$_n$, n = 1–4, determined by threshold collision-induced dissociation, 221
Woodward–Hoffmann
Theoretical studies of methane elimination from $C_4H_9^+$ and H_2 elimination from $C_3H_7^+$, 955

p-Xylene
Enhancing of the signal-to-noise ratio in MATI spectra, 921

Zinc binding
Zinc binding properties of the amyloid fragment Aβ(1–16) studied by electrospray-ionization mass spectrometry, 999
Zinc complexes
Structures and fragmentations of electrosprayed Zn(II) complexes of carboxylic acids in the gas phase. Isomerisation versus desolvation during the last desolvation step, 779